Author Index

ALI A.T.M.M., MORLEY J. & RUMJANEK V.M. Cyclosporin-A inhibits accumulation of lymphocytes within lymph nodes, 345

AMADOR PEREZ J.-F. & WRIGHT P. *Schistosoma mansoni* miracidial fluid inhibits human lymphocyte functions, 695

AOTSUKA Y., *see* INABA KAYO.

ASHMAN LEONIE, *see* O'KEEFE DENISE

ASHMAN R.B. Persistence of cell-mediated immunity to influenza A virus in mice, 165

ASKENASE P.W., METZLER C.M. & GERSHON R.K. Localization of leucocytes in sites of delayed-type hypersensitivity and in lymph nodes: dependence on vasoactive amines, 239

ASKONAS B.A., *see* THOMAS D.B.

ASTALDI A., *see* VAN DE GRIEND R.J.

AUSTEN K.F., *see* LEE C.W.

BADENOCH-JONES P. Lymphokine-induced neutrophil aggregation, 169

BALOW J.E., *see* TSOKOS G.C.

BARTH R.F., O'HARA J., DUQUESNOY R.J., CHEN S.N. & WINKLEHAKE J.L. Mitogen and alloantigen-stimulated blastogenic responses of dinitrophenyl-modified human lymphocytes, 511

BATCHELOR J.R., *see* LEHNER T.

BELL E.G. & BOTHAM JANE. Antigen transport. I. Demonstration and characterization of cells laden with antigen in thoracic duct lymph and blood, 477

BIJVOET O.L.M., *see* DE VRIES E.

BINNS R.M., *see* EREMIN O.

BINNS R.M., LICENCE S.T., GURNER B.W. & COOMBS R.R.A. Factors which govern the sensitivity of direct and indirect rosetting reactions and reverse passive haemagglutination in the identification of cell surface and free macromolecules, 717

BIRD P., *see* LOWE J.

BODOLAY EDIT, *see* MÁVAI MÁRIA.

BOHN A. & KÖNIG W. Generation of monoclonal murine anti-DNP IgE, IgM and IgG1 antibodies: biochemical and biological characterization, 277

BOLTZ-NITULESCU G., *see* FÖRSTER O.

BOTHAM JANE, *see* BELL E.B.

BRENNAN F.M., *see* GRACE S.A.

BROWN I.N., GLYNN A.A. & PLANT JANET. Inbred mouse strain resistance to *Mycobacterium lepraemurium* follows the Ity/Lsh pattern, 149

CAMPA M., *see* COLIZZI V.

CATS A., *see* DE VRIES E.

CHEN S.N. *see* BARTH R.F.

CHRISTIAN CAROLE B., *see* TSOKOS G.C.

CLARK CONNIE & DALMASSO A.P. Delayed hypersensitivity responses to human IgG and methylated bovine serum albumin are regulated by different mechanisms, 19

COHEN B.B., *see* STEEL C.M.

COLIZZI V., GARZELLI C., CAMPA M., TOCA L. & FALCONE G. Role of specific delayed-type hypersensitivity in *Pseudomanas aeruginosa*-infected mice, 337

COOKE L., ANNE, STAINES N.A., MORGAN ADRIENNE, CARROLL MOORHOUSE & HARRIS G. Haemolytic disease in mice induced by transplantation of hybridoma cells secreting monoclonal anti-erythrocyte autoantibodies, 569

COOMBS R.R.A., *see* BINNS R.M.

COREY E.J., *see* LEE C.W.

DAHA M.R. & VAN ES L.A. The role of cellular Fc and C3 receptors on the complement-dependent degradation of stable soluble immunoglobulin aggregates by normal and trypsin-treated peritoneal macrophages, 203

DALMASSO A.P., *see* CLARK CONNIE

DAVIDSOHN J., *see* PASSWELL J.H.

DAVIES M., MCLAUGHLIN M.E.E. & SUTCLIFFE R.G. Immune responsiveness against the human placenta. I. Generation of cellular and humoral activity in experimental animals, 459

DAVIES M., MCLAUGHLIN M.E.E. & SUTCLIFFE R.G. Immune responsiveness against the human placenta. II. Response with xenogeneic lymphocytes in culture, 469

DAYNES R.A., *see* LYNCH D.H.

DE BRUIN H.G., *see* VAN DE GRIEND R.J.

DE MACEDO MAHASTI S. & MOTA I. Antigenic competition in IgE antibody production. II. Effect of cyclophosphamide, 67

DE VRIES E., VAN DER WEIJ J.P., V.D. VEEN C.J.P., VAN PAASSEN H.C., JAGER M.J., SLEEBOOM, BIJVOET O.L.M. & CATS A. *In vitro* effect of (3-amino-1-hydroxypropylidene)-1, 1-bisphosphonic acid (APD) on the function of mononuclear phagocytic cells in lymphocyte proliferation, 157

DE WEGER R.A., PELS E. & DEN OTTER W. The induction of lymphocytes with the capacity to render macrophages cytotoxic in an allogeneic murine system, 541

DEANE D.L., *see* STEEL C.M.

DEAN C.J., *see* NORTH SUSAN M.

DELACROIX D.L., DIVE C., RAMBAUD J.C. & VAERMAN J.P. IgA subclasses in various secretions in serum, 383

DEN OTTER W., *see* DE WEGER R.A.

DIVE C., *see* DELACROIX D.L.

DORIA G., *see* NENCIONI L.

DUDLER L., *see* REYNOLDS J.

DUMONT F. & HABBERSETT R.C. Unusual cell surface properties of the T lymphocyte population expanding in MRL/Mp-*lpr*/*lpr* mice, 271

DUQUESNOY R.J., *see* BARTH R.F.

EGIDO J., *see* SANCHO J.

ELLIS A.E., *see* SECOMBES C.J.

ELSON C.J., *see* GRACE S.A.

EREMIN O. & BINNS R.M. Mouse red blood cell rosettes: human B and some T lymphocytes express receptors for mouse erythrocytes in the presence of Ficoll, 321
ESQUIVEL P. MENA MARIANELA & FOLCH H. Autoimmune thyroiditis in young and old mice: differential effect of high doses of PHA, 233

FANGER M.W., *see* LYDYARD P.M.
FERGUSON ANNE, *see* MOWAT MCI, A.
FIEDEL B. A., *see* SIMPSON R.M.
FIREMAN P., *see* LIN MING S.
FLAD H.-D., *see* ULMER A.J.
FLEMING BRENDA & ROOK G.A.W. T-cell-dependent polyclonal activation by soluble mycobacterial extracts, of B cells in peripheral blood mononuclear cell populations from leprosy patients and normal donors, 589
FOLCH H., *see* ESQUIVEL P.
FÖRSTER O. & BOLTZ-NITULESCU G. Digestion and resynthesis of receptors binding IgG-sensitized erythrocytes on rat macrophages, 107
FUJIWARA M. & KARIYONE A. Resistant nature of T cells of autoimmune mice to tolerance induction with human serum albumin, 573

GACIONG Z., *see* GÓRSKI A.
GARZELLI C., *see* COLIZZI V.
GASCOIGNE N.R.J., *see* LAI P.K.
GERSHON R.K., *see* ASKENASE P.W.
GYNN A.A., *see* BROWN I.N.
GLYNN A.A., *see* HADFIELD S. GAYE
GÓRSKI A., KORCZAK-KOWALSKA G., NOWACZYK M., GACIONG Z. & SKOPÍNSKA-RÓŻEWSKA E. Thymosin: an immunodulator of antibody production in man, 497
GRACE S.A. & BRENNAN F.M. Clearance and localization of immunoglobulin oligomers in mice with chronic circulating endogenous complexes, 221
GRACE S.A. & ELSON C.J. Continuous production of anti-host IgG antibodies contained in circulating IgG-anti-IgG complexes, 289
GURISH M.F., *see* LYNCH D.H.
GURNER W., *see* BINNS R.M.
GUY K., *see* STEEL C.M.

HAAKENSTAD A.O., STRIKER G.E. & MANNIK M. The disappearance kinetics and glomerular deposition of small-latticed soluble immune complexes, 407
HABBERSETT R.C., *see* DUMONT F.
HACKETT C.J., *see* THOMAS D.B.
HADFIELD S. GAYE & GLYNN A.A. Analysis of antibodies in local and disseminated *Neisseria gonorrhoeae* infections by means of gel electrophoresis-derived ELISA, 283
HÅKANSSON LENA, HÄLLGREN R. & VENGE P. Kinetic studies of phagocytosis. III. The complement-dependent opsonic and anti-opsonic effects of normal and SLE sera, 91
HÅKANSSON LENA & VENGE P. Kinetic studies of neutrophil phagocytosis. V. Studies on the co-operation between the Fc and C3b receptors, 687
HALLBERG T., *see* WINGQVIST I.
HALLGREN R., *see* HÄKANSSON LENA
HAMASHIMA Y., *see* NAGATA N.
HARADA H., KASAHARA T., OGATA K., SHIOIRI-NAKANO K. & KAWAI T. Effect of *Staphylococcus aureus* Cowan I bacteria on the mitogenic response of human B-cell subsets, 557
HARDIE D., *see* LOWE J.
HARRIS G., *see* COOKE L. ANNE
HASS G.M., *see* RISTOW SANDRA S.
HANBECK H.-D. & KÖLSCH E. Regulation of immune responses against the syngeneic ADJ-PC-S plasmacytoma in BALB/c mice. III. Induction of specific T suppressor cells to the BALB/c plasmacytoma ADJ-PC-5 during early stages in tumourigenesis, 503
HERON I., *see* REYNOLDS J.
HIGNCHI Y., *see* YAMAMOTO S.
HIRATA Y., *see* MIYANAGA O.
HOBBS S.M., *see* NORTH SUSAN M.

IDO M., *see* INABA KAYO
IKUTA T., *see* MIYANAGA O.
INABA KAYO, MASUDA T., MIYAMA-INABA M., AOTSUKA Y., KURA F., KOMATSUBARA S., IDO M. & MURAMATSU S. Ontogeny of 'macrophage' function. III. Manifestation of high accessory cell activity for primary antibody response by Ia^+ functional cells in newborn mouse spleen in collaboration with Ia^+ macrophages, 449
IZZI JOYCE M., *see* SIMPSON R.M.

JAGER M.J., *see* DE VRIES E.
JANUSZ MARIA, *see* ZIMECKI M.
JEFFERIS R., *see* LOWE J.
JEURISSEN S.H.M., *see* KIJLSTRA A.

KAKIUCHI T., *see* MIZUGUCHI J.
KARIYONE A., *see* FUJIWARA M.
KASAHARA T., *see* HARADA H.
KATSURA Y., *see* KINA T.
KÁVAI MÁRIA, BODOLAY EDIT & SZÖLLŐSKI J. Characterization of human monocyte subpopulations by flow cytometry, 253
KAWAI T., *see* HARADA H.
KAY J.E., *see* WALLS E.V.
KIJLSTRA A. & JEURISSEN S.H.M. Modulation of classical C3 convertase of complement by tear lactoferrin, 263
KINA T., NISHIKAWA S. & KATSURA Y. T-cell regulation of pokeweek mitogen-induced polyclonal immunoglobulin production in mice, III. Role of Lyt 1^+2^- non-helper T cells in the suppression, 525
KOHEN F., *see* PASSWELL J.H.
KÖLSCH E., *see* HAUBECK H.-D.
KOMATSUBARA S., *see* INABA KAYO.
KÖNIG W., *see* BOHN A.
KORCZAK-KOWALSKA G., *see* GÓRSKI A.
KRAJEWSKI DIANE V., *see* PRUZANSKY J.J.
KRAMPS J.A., *see* VAN DER MEER J.W.M.
KUDO J., *see* MIYANAGA O.
KUMAZAWA Y., MIZUNOE K. & OTSUKA Y. Immunostimulating polysaccharide separated from hot water extract of *Angelica acutiloba* kitagawa (Yamato tohki), 75
KURA F., *see* INABA KAYO.

LACHMANN P.J., *see* MOORE T.C.
LAI P.K., WATERFIELD J.D., GASCOIGNE N.R.J., SHARROCK C.E.M. & MITCHISON N.A. T-cell responses to minor histocompatibility antigens, 371
LALA P.K. & MCKENZIE I.F.C. An analysis of T lymphocyte

subsets in tumour-transplanted mice on the basis of Lyt antigenic markers and functions, 663
LEE T.D.G. & WAKELIN D. Cortisone-induced immunotolerance to nematode infection in CBA/Ca mice, 227
LEHNER T., WELSH K.I. & BATCHELOR J.R. The relationship of HLA-B and DR phenotypes to Behcet's syndrome recurrent oral ulceration and the class of immune complexes, 581
LEIJH P.C.J., *see* VAN DER MEER J.W.M.
LEVANON M., *see* PASSWELL J.H.
LEWIS R.A., *see* LEE C.W.
LICENCE S.T., *see* BINNS R.M.
LIN MING S., WHITE CARLIE, FIREMAN P., PAN SYLVIA & WALD N. Partial reversal of radiation-induced immunosuppression by T-lymphocyte lysate, 489
LING N.R., *see* LOWE J.
LISOWSKI J., *see* ZIMECKI M.
LOWE J., BIRD P., HARDIE D., JEFFERIS R. & LING N.R. Monoclonal antibodies (McAbs) to determinants on human gamma chains: properties of antibodies showing subclass restriction or subclass specificity, 329
LYDYARD P.M. & FANGER M.W. Characteristics and function of Fc receptors on human lymphocytes, (review), 1
LYNCH D.H., GURISH M.F. & DAYNES R.H. Cell-mediated immune responses to syngeneic ultraviolet-induced tumours. V. Assessment of accessory and antigen-presenting cell capabilities of normal and ultraviolet irradiated mice in the generation of anti-tumour cytotoxic effector cells *in vitro*, 49

MCKENZIE I.F.C., *see* LALA P.K.
MCLAUGHLIN M.E.E., *see* DAVIES M.
MANCINI C., *see* NENCIONI L.
MANNIK M., *see* HAAKENSTAD A.O.
MANNING M.J.. *see* SECOMBES C.J.
MASUDA E., TAKEMOTO T., TATSUNO T.Y., OBARA T. Induction of suppressor macrophages in mice by Fusarenon-A, 701
MASUDA T., *see* INABA KAYO
MATSUMOTO T., NAKANO M. & SHIBATA MIEKO. Suppression of the polyclonal B-cell response to lipopolysaccharide by concanavalin-A-treated non-T cells *in vitro*, 651
MATUHASI T., *see* MIZUGUCHI J.
MENA MARIANELA, *see* ESQUIVEL P.
METZLER C.M., *see* ASKENASE P.W.
MITCHISON N.A., *see* LAI P.K.
MITSUYAMA M., *see* MIYATA M.
MIYAMA-INABA M., *see* INABA KAYO
MIYANAGA O., OKUBO H., KUDO J., IKUTA T. & HIRATA Y. Effect of α_2-macroglobulin on the lymphocyte response, 351
MIYATA M., MITSUYAMA M., OGATA N., NOMOTO K. & TAKEYA K. Two steps in the generation of acquired cellular resistance against Listeria monocytogenes: accumulation and activation of macrophages, 247
MIZUGUCHI J., KAKIUCHI T., NARIUCHI H. & MATUHASI T. Different effects of LPS-induced macrophage factor on antibody responses to TI-1 and TI-2 antigens, 183
MIZUNOE K., *see* KUMAZAWA Y.
MOORE T.C. & LACHMANN P.J. Cyclic AMP reduces and cyclic GMP increases the traffic of lymphocytes through peripheral lymph nodes of sheep *in vivo*, 423
MORGAN ADRIENNE *see* COOKE L. ANNE
MORLEY J., *see* ALI A.T.M.M.
MOTA I., *see* DE MACEDO MAHASTI S.
MOWAT MCI A. & FERGUSON ANNE. Migration inhibition of lymph node lymphocytes as an assay for regional cell-mediated immunity in intestinal lymphoid tissues of mice immunized orally with ovalbumin, 365
MOWAT MCI & FERGUSON ANNE. Migration inhibition of lymph node lymphocytes as an *in vitro* assay for cell-mediated immunity in the draining lymph nodes of parenterally immunized mice, 357
MURAMATSU S., *see* INABA KAYO

NAGATA N., NAKAI Y., SANO H. & HAMASHIMA Y. Effect of T-cell factors on the induction of anti-ssDNA antibodies by bacterial lipopolysaccharide, 387
NAKAI Y., *see* NAGATA N.
NAKAMURA R.M., TANAKA H. & TOKUNAGA T. Strain difference in delayed-type hypersensitivity to BCG in mice: role of splenic adherent cells in primary immune response, 729
NAKANO M., *see* MATSUMOTO T.
NARIUCHI H., *see* MIZUGUCHI J.
NENCIONI L., MANCINI C., PINI C. & DORIA G. T-cell-dependent oscillations of IgM antibody affinity during the immune response to DNP-Dextran of low or high epitope density, 123
NISHIKAWA S., *see* KINA T.
NOMOTO K., *see* MIYATA M.
NORTH SUSAN M., STYLES JENNIFER M., HOBBS STEPHEN M. & DEAN C.J. Monoclonal antibodies to rat sarcomata. I. Immunization procedures and source of lymphoid cells for hybridoma production, 397
NOWACZYK M., *see* GÓRSKI A.

OBARA T., *see* MASUDA E.
OGATA K., *see* HARADA H.
OGATA N., *see* MIYATA M.
O'HARA J.J., *see* BARTH R.F.
O'KEEFE DENISE & ASHMAN LEONIE. Variation in accessory cell requirements in human lymphocyte response to leukaemic cell lines, 633
OKUBO H., *see* MIYANAGA O.
OLOFSSON T., *see* WINQVIST I.
OLSSON I., *see* WINQVIST I.
OSAWA T., *see* YAGISAWA H.
OTSUKA Y., *see* KUMAZAWA Y.

PAN SYLVIA, *see* LIN MING S.
PARKER D. & TURK J.L. Kinetics of the relation between suppressor and effector mechanisms in contact sensitivity in the guinea-pig, 61
PASSWELL J.H., LEVANON M., DAVIDSOHN J., KOHEN F. & RAMOT B. The effect of human monocytes and macrophages on lymphocyte proliferation, 175
PATTERSON R., *see* PRUZANSKY J.J.
PELS E., *see* DE WEGER R.A.
PERSSON ANN-MAJ, *see* WINQVIST I.
PINI C., *see* NENCIONI L.
PLANT JANET, *see* BROWN I.N.
PRANCAN A., *see* SIMPSON R.M.
PRUZANSKY J.J., TS'A CHUNGHSIN, KRAJEWSKI, D.V., ZEISS C.R. & PATTERSON R. Quantification of ultrastructural

variations in enriched blood basophils: correlation of morphological changes and antigen-induced histamine release, 41

RAMBAUD J.C. *see* DELACROIX D.L.
RAMOT B., *see* PASSWELL J.H.
REYNOLDS J., HERON I., DUDLER L. & TRNKA Z. T-cell recirculation in the sheep: migratory properties of cells from lymph nodes, 415
RIVERA F., *see* SANCHO J.
ROOK G.A.W., *see* FLEMING BRENDA
ROOS D., *see* VAN DE GRIEND R.J.
RUMJANEK V.M., *see* ALI A.T.M.M.
RUMKE H.C., *see* VAN DE GRIEND R.J.

SABISTON B.H., *see* SHEK P.N.
SANCHEZ-CRESPO M., *see* SANCHO J.
SANCHO J., RIVERA F., SANCHEZ-CRESPO M. & EGIDO J. The effect of the injection of a synthetic platelet-activating factor (PAF-acether) on the fate of IgG aggregates in mice, 643
SANO H., *see* NAGATA N.
SCHOLZ W., *see* ULMER A.J.
SECOMBES C.J., MANNING M.J. & ELLIS A.E. Localization of immune complexes and heat-aggregated immunoglobulin in the carp *Cyprinus carpio* L., 101
SHARROCK C.E.M., *see* LAI P.K.
SHEK P.N. & SABISTON B.H. Immune response mediated by liposome-associated protein antigens. II. Comparison of the effectiveness of vesicle-entrapped and surface-associated antigen in immunopotentiation, 627
SHIBATA MIEKO, *see* MATSUMOTO T.
SHIRIRI-NAKANO K., *see* KAWAI T.
SIMPSON R.M., PRANCAN A., IZZI JOYCE M. & FIEDEL B.A. Generation of thromboxane A_2 and aorta-contracting activity from platelets stimulated with modified C-reactive protein, 193
SKOPIŃSKA-ROZEWSKA E., *see* GÓRSKI A.
SLEEBOOM H., *see* DE VRIES E.
STAINES N.A., *see* COOKE L. ANNE
STARKEY JEAN R., *see* RISTOW SANDRA S.
STAROSCIK KRYSTYNA, *see* ZIMECKI M.
STEEL C.M., VAN HEYNINGEN VERONICA, GUY K., COHEN B.B. & DEANE D.L. influence of monoclonal anti-Ia like antibodies on activation of human lymphocytes, 597
STRIKER G.E., *see* HAAKENSTAD A.O.
STYLES JENNIFER M., *see* NORTH SUSAN M.
SUNDAR RAJ NIRMALA & WILLSON JOAN Monoclonal antibody to human basement membrane collagen type IV, 133
SUTCLIFFE R.G., *see* DAVIES M.
SZŐLLŐSI J., *see* KÁVAI MÁRIA.

TAKADA A. & TAKADA YUMIKO. The inhibition by lysine of the activation of the first component of complement, C1, 679
TAKADA YUMIKO, *see* TAKADA A.
TAKEMOTO T., *see* MASUDA E.
TAKEYA K., *see* MIYATA M.
TANAKA H., *see* NAKAMURA R.M.
TATSUNO T., *see* MASUDA E.
TESHIMA H., *see* YAMAMOTO S.
THOMAS D.B., HACKETT C.J. & ASKONAS B.A. Evidence for two T-helper populations with distinct specificity in the humoral response to influenza A viruses, 429
TOKUNAGA T., *see* NAKAMURA R.M.
TRNKA Z., *see* REYNOLDS J.
TS'AS CHUNGHSIN, *see* PRUZANSKY J.J.
TSOKOS G.C., CHRISTIAN CAROLE B. & BALOW J.E. Concanavalin-induced suppressor cells: characterization on the basis of corticosteroid and radiation sensitivity, 85
TURKE J.L., *see* PARKER D.

ULMER A.J., SCHOLZ W. & FLAD H.-D. Stimulation of colony formation and growth factor production of human T lymphocytes by wheat germ lectin, 551

V.D. VEEN C.J.P., *see* DE VRIES E.
VAN DE GEVEL J.S., *see* VAN DER MEER J.W.M.
VAN DE GRIEND R., DE BRUIN H.G., RUMKE H.C., VAN DOORN R., ROOS D. & ASTALDI A. Isolation and partial characterization of a novel subset of human lymphocytes defined by monoclonal antibodies, 313
VAN DER MEER J.W.M., VAN DE GERET J.S., VAN OUD ALBLAS A.B., KRAMPS J.A., VAN ZWET T.L., LEIJH P.C.J. & VAN FURTH R. Characteristics of human monocytes cultured in the Teflon culture bag, 617
VAN DER WEIJ J.P., *see* DE VRIES E.
VAN DOORN R., *see* VAN DE GRIEND R.J.
VAN ES L.A., *see* DAHA M.R.
VAN FURTH R., *see* VAN DER MEER J.W.M.
VAN HEYNINGEN V., *see* STEEL C.M.
VAN OUD ALBLAS A.B., *see* VAN DER MEER J.W.M.
VAN PAASSEN H.C., *see* DE VRIES E.
VAN ZWET T.L., *see* VAN DER MEER J.W.M.
VENGE P., *see* HÅKANSSON LENA

WAKELIN D., *see* LEE T.D.G.
WALD N., *see* LIN MINGS
WALLS E.V. & KAY J.E. Inhibition of proliferation of a murine myeloma cell line and mitogen-stimulated B lymphocytes by the antibiotic amphotericin B (Fungizone), 115
WATERFIELD J.D., *see* LAI P.K.
WELSH K.I., *see* LEHNER T.
WHITE CARLIE, *see* LIN MING S.
WIECZOREK Z., *see* ZIMECKI M.
WILLSON JOAN, *see* SUNDAR RAJ NIRMALA.
WINKLEHAKE J.L., *see* BARTH R.F.
WINGVIST I., OLOFSSON T., OLSSON I., PERSSON ANN-MAJ & HALLBERG T. Altered density, metabolism and surface receptors of eosinophils in eosinophilia, 531
WRIGHT P., *see* AMADOR PEREZ J.-F.

YAGISAWA H. & OSAWA T. Guinea-pig lymphotoxin-mediated cytotoxicity and activation of endogenous phospholipase A_2, 437
YAMAMOTO S., HIGUCHI Y. & TESHIMA H. Enhancement of sheep erythrocyte (SRBC)-induced pleurisy in non-sensitized mice by cyclophosphamide: demonstration of natural cell-mediated immune (CMI) reactivity to SRBC, 31

ZEISS C.R., *see* PRUZANSKY J.J.
ZIMECKI M., JANUZZ MARIA, STAROSCIK KRYSTYNA, LISOWSKI J. & WIECZOREK Z. Effect of a proline-rich polypeptide on donor cells in graft-versus-host reaction, 141

Subject Index

α_2-Macroglobulin on the lymphocyte response, effect of, 351

Accessory and antigen-presenting cell capabilities assessment of, of normal and ultraviolet-irradiated mice in generation of anti-tumour cytotoxic effector cells *in vitro*. Cell-mediated immune response to syngeneic ultraviolet-induced tumours. V, 49

Accessory cell activity, high, manifestation of, for primary antibody response by Ia^+ functional cells in newborn mouse spleen in collaboration with Ia^- macrophages. Ontogeny of 'macrophage' function. III, 449

Accessory cell requirements, variation in, in human mixed lymphocyte response to leukaemic cell lines, 633

ADJ-PC-5 plasmacytoma, syngeneic, regulation of immune response against the, in BALB/c mice. III. Induction of specific T suppressor cells to the BALB/c plasmacytoma ADJ-PC-5 during early stages of tumourigenesis, 503

Alloantigen-stimulated blastogenic responses, mitogen and, of dinitrophenyl-modified human lymphocytes, 511

Amines, vasoactive, dependence on, localization of leucocytes in sites of delayed-type hypersensitivity and in lymph nodes, 239

AMP, cyclic, reduces and cyclic GMP increases the traffic of lymphocytes through peripheral lymph nodes of sheep *in vivo*, 423

Amphotericin B (Fungizone), antibiotic, inhibition of proliferation of a murine myeloma cell lines and mitogen-stimulated B lymphocytes by the, 115

Angelica acutiloba Kitagawa (Yamato tohki), hot water extract of, immunostimulating polysaccharide separated from, 75

Antibodies, analysis of, in local and disseminated *Neisseria gonorrhoeae* infections by means of gel electrophoresis-derived ELISA, 283

Antibodies, anti-ssDNA, effect of T-cell factors on induction of, by bacterial lipopolysaccharide, 387

Antibodies, monoclonal anti-Ia-like, influence of, on activation of human lymphocytes, 597

Antibodies, monoclonal, isolation and partial characterization of a novel subset of human lymphocytes defined by, 313

Antibodies, monoclonal, to rat sarcomata. I. Immunization procedures and source of lymphoid cells for hybridoma production, 397

Antibodies, properties of, showing subclass restriction or subclass specificity, monoclonal antibodies (McAbs) to determinants on human gamma chains, 329

Antibody production in man, thymosin: an immunomodulator of, 497

Antibody response, primary, manifestation of high accessory cell activity for, by Ia^+ functional cells in newborn mouse spleen in collaboration with Ia^- macrophages. Ontogeny of 'macrophage' function. III, 449

Antibody responses to TI-1 and TI-2 antigens, different effects of LPS-induced macrophage factor on, 183

Antigen-induced histamine release, correlation of morphological changes and quantification of ultrastructural variations in enriched blood basophils, 41

Antigen-presenting cell capabilities, assessment of accessory and, of normal and ultraviolet irradiated mice in the generation of anti-tumour cytotoxic effector cells *in vitro*. Cell-mediated immune responses to syngeneic ultraviolet-induced tumours. V, 49

Antigen transport. I. Demonstration and characterization of cells laden with antigen in thoracic duct lymph and blood, 477

Antigens, vesicle-entrapped and surface-associated, comparison of effectiveness of, in immunopotentiation. Immune response mediated by liposome-associated protein antigens. II, 627

Anti-ssDNA antibodies, effect of T-cell factors on induction of, by bacterial lipopolysaccharide, 387

Aorta-contracting activity, generation of thromboxane A_2 and, from platelet stimulation with modified C-reactive protein, 193

APD, (3-amino-1-hydroxypropylidene)-1,1-bisphosphonic acid, *in vitro* effect of, on function of mononuclear phagocytic cells in lymphocyte proliferation, 157

Autoantibodies, monclonal anti-erythrocyte, haemolytic disease in mice induced by transplantation of hybridoma cells secreting, 569

B-cell response, polyclonal, suppression of, to lipopolysaccharide by concanavalin-A-treated non-T cell *in vitro*, 651

B-cell subsets, human, mitogenic response of, effect of *Staphylococcus aureus* Cowan I bacteria on, 557

B cells, T-cell-dependent polyclonal activation by soluble mycobacterial extracts of, in peripheral blood mononuclear cell populations from leprosy patients and normal donors, 589

B lymphocytes, mitogen-stimulated, inhibition of proliferation of a murine myeloma cell line and, by the antibiotic amphotericin B (Fungisone), 115

Basophils, enriched blood, quantification of ultrastructural variations: correlation of morphological changes and antigen-induced histamine release, 41

BCG in mice, strain difference in delayed-type hypersensitivity to: role of splenic adherent cells in primary immune response, 230

Behcet's syndrome, recurrent oral ulceration and class of immune complexes, relationship of HLA-B and DR phenotypes to, 581

Blastogenic responses, mitogen and alloantigen-stimulated, of dinitrophenyl-modified human lymphocytes, 511

Bovine serum albumin, methylated, delayed hypersensitivity responses to, and to human IgG, are regulated by different mechanisms, 19

C1, first component of complement, inhibition by lysine of activation of, 679

C3 convertase of complement, classical, modulation of, by tear lactoferrin, 263
C3 receptors, role of cellular Fc and, on complement-dependent degradation of stable soluble immunoglobulin aggregates by normal and trypsin-treated peritoneal macrophages, 203
C3b receptors, studies on the co-operation between Fc and. Kinetic studies of neutrophil phagocytosis. V, 687
C-reactive protein, modified, platelets stimulated with, generation of thromboxane A_2 and aorta-contracting activity from, 193
Cell-mediated immune (CMI) reactivity, natural, to SRBC, demonstration of, enhancement of sheep erythrocyte (SRBC)-induced pleurisy in non-sensitized mice by cyclophosphamide, 31
Cell-mediated immunity in draining lymph nodes of parenterally immunized mice, migration inhibition of lymph node lymphocytes as an *in vitro* assay for, 357
Cell-mediated immunity in intestinal lymphoid tissues of mice immunized orally with ovalbumin, migration inhibition of human T lymphocytes by wheat germ lectin, 551
Cell-mediated immunity, persistence of, to influenza A virus in mice, 165
Cellular and humoral activity, generation of, in experimental animals. Immune responsiveness against the human placenta. I, 459
Collagen type IV, human basement membrane, monoclonal antibody to, 133
Colony formation, stimulation of, and growth factor production of human T lymphocytes by wheat germ lectin, 551
Complement-dependent opsonic and anti-opsonic effects of normal and SLE sera. Kinetic studies of phagocytosis. III, 91
Concanavalin-induced suppressor cells: characterization on basis of corticosteroid and radiation sensitivity, 85
Contact sensitivity in the guinea-pig, kinetics of the relation between suppressor and effector mechanisms in, 61
Corticosteroid and radiation sensitivity, characterization on basis of. Concanavalin-induced suppressor cells, 85
Cortisone-induced immunotolerance to nematode infection in CBA/Ca mice, 227
Cowan I bacteria, *Staphylococcus aureus*, effect of, on mitogenic response of human B-cell subsets, 557
Cyclophosphamide, effect of. Antigenic competition in IgE antibody production. II, 67
Cyclosporin-A inhibits accumulation of lymphocytes within lymph nodes, 345
Cytotoxicity, guinea-pig lymphotoxin-mediated, and activation of endogenous phospholipase A_2, 437

Delayed hypersensitivity in the guinea-pig, *in vivo* macrophage suppression of, 709
Delayed-type hypersensitivity, localization of leucocytes in sites of, and in lymph nodes: dependence on vasoactive amines, 239
Delayed hypersensitivity responses to human IgG and methylated bovine serum albumin are regulated by different mechanisms, 19
Delayed-type hypersensitivity, role of specific, in *Pseudomanas aeruginosa*-infected mice, 337
Delayed-type hypersensitivity, strain difference in, to BCG in mice: role of splenic adherent cells in the primary immune response, 230
Density, altered, metabolism and surface receptors of eosinophils in eosinophilia, 531
Dinitrophenyl-modified human lymphocytes, mitogen and alloantigen-stimulated blastogenic responses of, 511

Effector cells *in vitro*, anti-tumour cytotoxic, assessment of accessory and antigen-presenting cell capabilities of normal and ultraviolet-irradiated mice in the generation of cell-mediated immune responses to syngeneic ultraviolet-induced tumours. V, 49
Effector mechanisms, kinetics of the relation between suppressor and, in contact sensitivity in the guinea-pig, 61
ELISA, gel electrophoresis-derived, analysis of antibodies in local and disseminated *Neisseria gonorrhoeae* infections by means of, 283
Endogenous complexes, chronic circulating, clearance and localization of immunoglobulin oligomers in mice with, 221
Eosinophilia, eosinophils in, altered density, metabolism and surface receptors of, 531
Eosinophils in eosinophilia, altered density, metabolism and surface receptors of, 531
Erythrocytes, mouse, human B and some T lymphocytes express receptors for, in the presence of Ficoll. Mouse red blood cell rosettes, 321

Fc and C3 receptors, role of cellular, on complement-dependent degradation of stable soluble immunoglobulin aggregates by normal and trypsin-treated peritoneal macrophages, 203
Fc and C3b receptors, studies on co-operation between. Kinetic studies of neutrophil phagocytosis. V, 687
Fc receptors on human lymphocytes, characteristics and function of, 1
Fusarenon x, induction of suppressor macrophages in mice by, 701

Gamma chains, human, monoclonal antibodies (McAbs) to determinants on: properties of antibodies showing subclass restriction or subclass specificity, 329
Glomerular deposition, disappearance kinetics and, of small-latticed soluble immune complexes, 407
GMP, cyclic, increases the traffic of lymphocytes through peripheral lymph nodes of sheep *in vivo*, cyclic AMP reduces and, 423
Graft-versus-host reaction, effect of a proline-rich polypeptide on donor cells in, 141
Growth factor production of human T lymphocytes by wheat germ lectin, stimulation of colony formation and, 551

Haemagglutination, reverse passive, factors which govern the sensitivity of direct and indirect rosetting reactions and, in the identification of cell surface and free macromolecules, 717
Haemolytic disease in mice induced by transplantation of hybridoma cells secreting monoclonal anti-erythrocyte autoantibodies, 569
Histamine release, antigen-induced, correlation of morphological changes and, quantification of ultrastructural variations in enriched blood basophils, 41
Histocompatibility antigens, minor, T-cell responses to, 371
HLA-B and DR phenotypes, relationship of, to Behcet's

syndrome, recurrent oral ulceration and class of immune complexes, 581
Human serum albumin, resistant nature of T cells of autoimmune mice to tolerance induction with, 573
Humoral activity, generation of cellular and, in experimental animals. Immune responsiveness against the human placenta. I, 459
Humoral response to influenza A viruses, evidence for two T-helper populations with distinct specificity in the, 429
Hybridoma cells, transplantation of, secreting monoclonal anti-erythrocyte autoantibodies, haemolytic disease in mice induced by, 569

Ia^+ functional cells in newborn mouse spleen, manifestation of high accessory cell activity for primary antibody response by, in collaboration with Ia^- macrophages. Ontogeny of 'macrophage' function. III, 449
Ia^- macrophages, manifestation of high accessory cell activity for primary antibody response by Ia^+ functional cells in newborn mouse spleen in collaboration with. Ontogeny of 'macrophage' function. III, 449
IgA subclasses in various secretions and in serum, 383
IgE antibody production, antigenic competition in. II. Effect of cyclophosphamide, 67
IgG aggregates in mice, effect of injection of a synthetic platelet-activating factor (PAF-acether) on fate of, 643
IgG-anti-IgG complexes, circulating, continuous production of anti-host IgG antibodies contained in, 289
IgG antibodies, anti-host, continuous production of, contained in circulating IgG-anti-IgG complexes, 289
IgG, human, delayed hypersensitivity responses to, and methylated bovine serum albumin are regulated by different mechanisms, 19
IgG-sensitized erythrocytes on rat macrophages, digestion and resynthesis of receptors binding, 107
IgG1 antibodies, generation of monoclonal murine anti-DNP-IgE, IgM and: biochemical and biological characterization, 297
IgM and IgG1 antibodies, generation of monoclonal murine anti-DNP-IgE: biochemical and biological characterization, 297
IgM antibody affinity, T-cell-dependent oscillations of, during the immune response to DNP-Dextran of low or high epitope density, 123
Immune complexes class of, relationship of HLA-B and Dr phenotypes to Behcet's syndrome, recurrent oral ulceration and, 581
Immune complexes, localization of, and heat-aggregated immunoglobulin in the carp *Cyprinus carpio L.*, 101
Immune complexes, small-latticed soluble, disappearance kinetics and glomerular deposition of, 407
Immune response to DNP-Dextran, T-cell-dependent oscillations of IgM antibody affinity during, of low or high density, 123
Immune response mediated by liposome-associated protein antigens. II. Comparison of effectiveness of vesicle-entrapped and surface-associated antigen in immunopotentiation, 627
Immune response, primary, role of splenic adherent cells in the. Strain difference in delayed-type hypersensitivity to BCG in mice, 729
Immune responses, cell-mediated, to syngeneic ultraviolet-induced tumours. V. Assessment of accessory and antigen-presenting cell capabilities of normal and ultraviolet-irradiated mice in generation of anti-tumour cytotoxic effector cells *in vitro*, 49
Immune responses, regulation of, against the syngenic ADJ-PC-5 plasmacytoma in BALB/c mice. III. Induction of specific T suppressor cells to the BALB/c plasmacytoma ADJ-PC-5 during early stages of tumourigenesis, 503
Immune responsiveness against the human placenta. I. Generation of cellular and humoral activity in experimental animals, 459
Immune responsiveness against the human placenta. II. Response with xenogeneic lymphocytes in culture, 469
Immunoglobulin aggregates, stable soluble, role of cellular Fc and C3 receptors on complement-dependent degradation of, by normal and trypsin-treated peritoneal macrophages, 203
Immunoglobulin, heat-aggregated, localization of immune complexes and, in the carp *Cyprinus carpio* L., 101
Immunoglobulin oligomers, clearance and localization of, in mice with chronic circulating endogenous complexes, 221
Immunoglobulin production, pokeweed mitogen-induced polyclonal, T-cell regulation of, in mice. III. Role of Lyt 1^+ 2^- non-helper T cells in the suppression, 525
Immunomodulator of antibody production in man, thymosin, 497
Immunopotentiation, comparison of effectiveness of vesicle-entrapped and surface-associated antigen in. Immune response mediated by liposome-associated protein antigen. III, 627
Immunosuppression, radiation-induced, partial reverse of, by T-lymphocyte lysate, 489
Immunotolerance, cortisone-induced, to nematode infection in CBA/Ca mice, 227
Induction of suppressor macrophages in mice by Fusarenon X, 701
Influenza A virus in mice, persistence of cell-mediated immunity to, 165
Influenza A viruses, humoral response to, evidence for two T-helper populations with distinct specificity in, 429
Inhibition by lysine of activation of first component of complement, C1, 679
Inhibition of proliferation of a murine myeloma cell line and mitogen-stimulated B lymphocytes by the antibiotic amphotericin B (Fungizone), 115
Ity/Lsh pattern, inbred mouse strain resistance to *Mycobacterium lepraemurium* follows the, 149

Kinetic studies of neutrophil phagocytosis. V. Studies on the co-operation between the Fc and C3b receptors, 687
Kinetics, disappearance, and glomerular deposition of small-latticed soluble immune complexes, 407

Lactoferrin, tear, modulation of classical C3 convertase of complement by, 263
Leprosy patients and normal donors, B cells in peripheral blood mononuclear cell populations from, T-cell-dependent polyclonal activation by soluble mycobacterial extracts of, 589
Leucocytes, localization of, in sites of delayed-type hypersensitivity and in lymph nodes: dependence on vasoactive amines, 239

Leukaemic cell lines, variation in accessory cell requirements in human mixed lymphocyte response to, 633
Lipopolysaccharide, bacterial, induction of anti-ssDNA antibodies by, effect of T-cell factors on, 387
Lipopolysaccharide, suppression of polyclonal B-cell response to, by concanavalin-A-treated non-T cells *in vitro*, 651
Liposome-associated protein antigens, immune response mediated by. II. Comparison of effectiveness of vesicle-entrapped anurface-associated antigen in immunopotentiation, 627
Listeria monocytogenes, acquired cellular resistance against, two steps in generation of: accumulation and activation of macrophages, 247
LPS-induced macrophage factor, different effects of, on antibody responses to TI-1 and TI-2 antigens, 183
Lymph node lymphocytes, migration inhibition of, as an assay for regional cell-mediated immunity in intestinal lymphoid tissues of mice immunized orally with ovalbumin, 365
Lymph node lymphocytes, migration inhibition of, as an *in vitro* assay for cell-mediated immunity in draining lymph nodes of parenterally immunized mice, 357
Lymph nodes, cells from, T-cell recirculation in the sheep: migratory properties of, 415
Lymph nodes, cyclosporin-A inhibits accumulation of lymphocytes within, 345
Lymph nodes, draining, cell-mediated immunity in, of parenterally immunized mice, migration inhibition of lymph node lymphocytes as in *in vitro* assay for, 357
Lymph nodes, localization of leucocytes in sites of delayed-type hypersensitivity and in: dependence on vasoactive amines, 239
Lymphocyte functions, human, *Schistosoma mansoni* miracidial fluid inhibits, 695
Lymphocyte proliferation, effect of human monocytes and macrophages on, 175
Lymphocyte proliferation, function of mononuclear phagocytic cells in, *in vitro* effect of (3-amino-1-hydroxypropylidene)-1, 1-bisphosphonic acid (APD) on, 157
Lymphocyte response, effect of α_2-macroglobulin on, 351
Lymphocytes, dinitrophenyl-modified human, mitogen and alloantigen-stimulated blastogenic responses of, 511
Lymphocytes, human, activation of, influence of monoclonal anti-Ia-like antibodies on, 597
Lymphocytes, human B and some T, express receptors for mouse erythrocytes in presence of Ficoll. Mouse red blood cell rosettes, 321
Lymphocytes, human, characteristics and function of Fc receptors on (review), 1
Lymphocytes, human, isolation and partial characterization of a novel subset of, defined by monoclonal antibodies, 313
Lymphocytes, induction of, with the capacity to render macrophages cytotoxic in an allogenic murine system, 541
Lymphocytes, lymph node, migration inhibition of, as an assay for regional cell-mediated immunity in intestinal lymphoid tissues of mice immunized orally with ovalbumin, 365
Lymphocytes, lymph node, migration inhibition of, as an *in vitro* assay for cell-mediated immunity in draining lymph nodes of parenterally immunized mice, 357
Lymphocytes, traffic of, through peripheral lymph nodes of sheep *in vivo*, cyclic AMP reduces and cyclic GMP increases the, 423
Lymphocytes within lymph nodes, cyclosporin-A inhibits accumulation of, 345
Lymphocytes, xenogeneic, response with, in culture. Immune responsiveness against the human placenta. II, 469
Lymphoid cells for hybridoma production, immunization procedure and source of. Monoclonal antibodies to rat sarcomata. I, 397
Lymphoid tissues, intestinal, regional cell-mediated immunity in, of mice immunized orally with ovalbumin, migration inhibition of lymph node lymphocytes as an assay for, 365
Lymphokine-induced neutrophil aggregation, 165
Lysine, inhibition by, of activation of first component of complement, C1, 679
Lyt antigenic markers and functions, an analysis of T lymphocyte subsets in tumour-transplanted mice on the basis of, 663
Lyt 1^+ 2^- non-helper T cells, role of, in the suppression. T-cell regulation of pokeweed mitogen-induced polyclonal immunoglobulin production in mice. III, 525

Macromolecules, cell surface and free, factors which govern the sensitivity of direct and indirect rosetting reactions and reverse passive haemagglutination in the identification of, 717
Macrophage factor, LPS-induced, different effects of, on antibody responses to TI-1 and TI-2 antigens, 183
'Macrophage' function, ontogeny of. III. Manifestation of high accessory cell activity for primary antibody response by Ia^+ functional cells in newborn mouse spleen in collaboration with Ia^- macrophages, 449
Macrophage suppression, *in vitro*, of delayed hypersensitivity in the guinea-pig, 709
Macrophages, accumulation and activation of, two steps in generation of acquired cellular resistance against *Listeria monocytogenes:*. 247
Macrophages, effect of human monocytes and, on lymphocyte proliferation, 177
Macrophages, induction of lymphocytes with capacity to render, cytotoxic in an allogeneic murine system, 541
Macrophages, rat, digestion and resynthesis of receptors binding IgG-sensitized erythrocytes on, 109
Macrophages, suppressor, induction of, in mice by Fusarenon-X, 709
Macrophages, trypsin-treated peritoneal, role of cellular Fc and C3 receptors on complement-dependent degradation of stable soluble immunoglobulin aggregates by normal and, 203
Metabolism, altered density, and surface receptors of eosinophils in eosinophilia, 531
Migration inhibition of lymph node lymphocytes as as assay for regional cell-mediated immunity in intestinal lymphoid tissues of mice immunized orally with ovalbumin, 367
Migration inhibition of lymph node lymphocytes as an *in vitro* assay for cell-mediated immunity in draining lymph nodes of parenterally immunized mice, 359
Miracidial fluid, *Schistosoma mansoni* inhibits human lymphocyte function, 695
Mitogen and alloantigen-stimulated blastogenic responses of dinitrophenyl-modified human lymphocytes, 511

Mitogenic response of human B-cell subsets, effect of *Staphylococcus aureus* Cowan I bacteria on, 557
Mixed lymphocyte response, human, to leukaemic cell lines, variation in accessory cell requirements in, 633
Monoclonal antibodies (McAbs) to determinants on human gamma chains: properties of antibodies showing subclass restriction or subclass specificity, 331
Monoclonal antibody to human basement membrane collagen type IV, 135
Monoclonal anti-erythrocyte autoantibodies, haemolytic disease in mice induced by transplantation of hybridoma cells secreting, 569
Monoclonal anti-Ia-like antibodies, influence of, on activation of human lymphocytes, 597
Monoclonal murine anti-DNP-IgE, generation of, IgM and IgG 1 antibodies biochemical and biological characterization, 299
Monocyte subpopulations, human, characterization of, by flow cytometry, 257
Monocytes, human, characteristics of, cultured in the Teflon culture bag, 617
Monocytes, human, and macrophages, effect of, on lymphocyte proliferation, 177
Mononuclear phagocytic cells in lymphocyte proliferation, *in vitro* effect of (3-amino-1-hydroxypropylidene-1,1-bisphosphonic acid (APD) on function of, 159
Mrl/Mp-*lpr*/*lpr* mice, unusual cell surface properties of T lymphocyte population expanding in, 273
Mycobacterial extracts, soluble, T-cell-dependent polyclonal activation by, of B cells in peripheral blood mononuclear cell populations from leprosy patients and normal donors, 589
Mycobacterium lepraemurium, inbred mouse strain resistance to, follows the *Ity*/*Lsh* pattern, 151
Myeloma cell line, murine, inhibition of proliferation of a, and mitogen-stimulated B lymphocytes by the antibiotic amphotericin B (Fungizone), 117

Neisseria gonorrhoeae infections, analysis of antibodies in local and disseminated, by means of gel electrophoresis-derived ELISA, 283
Nematode infection in CBA/Ca mice, cortisone-induced immunotolerance to, 227
Neutrophil aggregation, lymphokine-induced, 165
Neutrophil phagocytosis, kinetic studies of V. Studies on the co-operation between the Fc and C3b receptors, 687
Non-T cells *in vitro*, concanavalin-A-treated, suppression of polyclonal B-cell response to lipopolysaccharide by, 651

Ontogeny of 'macrophage' function. III. Manifestation of high accessory cell activity for primary antibody response by Ia^+ functional cells in newborn mouse spleen in collaboration with Ia^- macrophages, 449
Opsonic, complement-dependent, and anti-opsonic effects of normal and SLE sera. Kinetic studies of phagocytosis, III, 91
Oral ulceration, recurrent, and class of immune complexes, relationship of HLA-B and DR phenotypes to Behcet's syndrome, 581
Original antigenic sin to influenza in rats, 181
Ovalbumin, mice immunized orally with, migration inhibition of lymph node lymphocytes as an assay for regional cell-mediated immunity in intestinal lymphoid tissues of, 365

Peripheral blood mononuclear cell populations from leprosy patients and normal donors, T-cell-dependent polyclonal activation by soluble mycobacterial extracts of B cells in, 589
Peripheral lymph nodes of sheep *in vivo*, cyclic AMP reduces and cyclic GMP increases the traffic of lymphocytes through, 423
PHA, high doses of, autoimmune thyroiditis in young and old mice: differential effect of, 233
Phagocytosis, kinetic studies of. III. The complement-dependent opsonic and anti-opsonic effects of normal and SLE sera, 91
Phospholipase A_2, endogenous, guinea-pig lymphotoxin-mediated cytotoxicity and activation of, 437
Placenta, human, immune responsiveness against. I. Generation of cellular and humoral activity in experimental animals, 459
Placenta, human, immune responsiveness. II. Response with xenogeneic lymphocytes in culture, 469
Platelet-activating factor (PAF-acether) synthetic, effect of injection of a, on fate of IgG aggregates in mice, 643
Pokeweed mitogen-induced polyclonal immunoglobulin production in mice, T-cell regulation of. III. Role of Lyt $1^+ 2^-$ non-helper T cells in the suppression, 525
Polysaccharide, immunostimulating, separated from hot water extract of *Angelica acutiloba* Kitagawa (Yamato tohki), 95
Proline-rich polypeptide, effect of a, on donor cells in graft-versus-host reaction, 141
Protein antigens, liposome-associated, immune response mediated by. II. Comparison of effectiveness of vesicle-entrapped and surface-associated antigen in immunopotentiation, 627
Pseudomanas aeruginosa-infected mice, role of specific delayed-type hypersensitivity in, 337

Radiation-induced immunosuppression, partial reversal of, by T-lymphocyte lysate, 489
Receptors binding IgG-sensitized erythrocytes on rat macrophages, digestion and resynthesis of, 107
Receptors for mouse erythrocytes in presence of Ficoll, mouse red blood cell rosettes: human B and some T lymphocytes express, 321
Receptors, surface, altered density, metabolism and, of eosinophils in eosinophilia, 531
Rosetting reactions, direct and indirect, factors which govern the sensitivity of, and reverse passive haemagglutination in the identification of cell surface and free macromolecules, 717

Sarcomata, rat, monoclonal antibodies to. I. Immunization procedures and source of lymphoid cells for hybridoma production, 397
Schistosoma mansoni miracidial fluid inhibits human lymphocyte functions, 695
Sheep erythrocyte (SRBC)-induced pleurisy, enhancement of, in non-sensitized mice by cyclophosphamide: demonstration of natural cell-mediated immune (CMI) reactivity to SRBC, 31
SLE sera, normal and, complement-dependent opsonic and

anti-opsonic effects of. Kinetic studies of phagocytosis. III, 91
Spleen, newborn mouse, Ia^+ functional cells in, manifestation of high accessory cell actvity for primary antibody response by, in collaboration with Ia^- macrophages. Ontogeny of 'macrophage' function. III, 449
Splenic adherent cells, role of, in the primary immune response. Strain difference in delayed-type hypersensitivity to BCG in mice, 230
Staphylococcus aureus Cowan I bacteria, effect of, on mitogenic response of human B-cell subsets, 551
Subclass restriction or subclass specificity, properties of antibodies showing; monoclonal antibodies (McAbs) to determinants on human gamma chains, 329
Suppression, *in vitro* macrophage, of delayed hypersensitivity in the guinea-pig, 709
Suppression of polyclonal B-cell response to lipopolysaccharide by concanavalin-A-treated non-T cells *in vitro*, 651
Suppression, role of Lyt 1^+ 2^- non-helper T cells in. T-cell regulation of pokeweed mitogen-induced polyclonal immunoglobulin production in mice. III, 525
Suppressor cells, concanavalin-induced: characterization on basis of corticosteroid and radiation sensitivity, 85
Suppressor and effector mechanisms, kinetics of the relation between, in contact sensitivity in the guinea-pig, 61
Suppressor macrophages, induction of, in mice by Fusarenon-X, 701

T-cell-dependent oscillations of IgM antibody affinity during immune response to DNP-Dextran of low or high epitope density, 123
T-cell-dependent polyclonal activation by soluble mycobacterial extracts of B cells in peripheral blood mononuclear cell populations from leprosy patients and normal donors, 589
T-cell factors, effect of, on induction of anti-ssDNA antibodies by bacterial lipopolysaccharide, 389
T-cell recirculation in the sheep: migratory properties of cells from lymph nodes, 415
T-cell regulation of pokeweed mitogen-induced polyclonal immunoglobulin production in mice. III. Role of Lyt 1^+2^- non-helper T cells in the suppression, 525
T-cell responses to minor histocompatibility antigens, 371
T cells, resistant nature of, of autoimmune mice to tolerance induction with human serum albumin, 573
T-helper populations, evidence for, with distinct specificity in the humoral response to influenza A viruses, 429
T-lymphocyte lysate, partial reversal of radiation-induced immunosuppression by, 489
T lymphocyte population, unusual cell surface properties of, expanding in MRL/Mp-*lpr*/*lpr* mice, 271
T lymphocyte subsets, an analysis of, in tumour-transplanted mice, on the basis of Lyt antigenic markers and functions, 663
T lymphocytes, human, stimulation of colony formation and growth factor production of, by wheat germ lectin, 551
T suppressor cells, induction of specific, to the BALB/c plasmacytoma ADJ-PD-5 during early stages of tumourigenesis. Regeneration of immune responses against the syngeneic ADJ-PC-5 plasmacytoma in BALB/c mice, III, 503
Teflon culture bag, characteristics of human monocytes cultured in, 617
Thoracic duct lymph and blood, demonstration and characterization of cells laden with antigen in. Antigen transport. I, 477
Thromboxane A_2, generation of, and aorta-contracting activity from platelets stimulated with modified C-reactive protein, 193
Thymosin: an immunomodulator of antibody production in man, 497
Thyroiditis, autoimmune, in young and old mice: differential effect of high doses of PHA, 233
TI-1 and TI-2 antigens, different effects of LPS-induced macrophage factor on antibody responses to, 183
Tolerance induction with human serum albumin, resistant nature of T cells of autoimmune mice to, 573
Tumourigenesis, early stages of, induction of specific T suppressor cells to the BALB/c plasmacytoma ADJ-PC-5 during. Regulation of immune responses against the syngeneic ADJ-PC-5 plasmacytoma in BALB/c mice. III, 503

Ultrastructural variations in enriched blood basophils, quantification of: correlation of morphological changes and antigen-induced histamine release, 41

Wheat germ lectin, stimulation of colony formation and growth factor production of human T lymphocytes by, 551